

Author Index of Volume 87

- | | | | |
|------------------------|-----------------------------|-------------------------|---------------------|
| Adrover, A. 275 | Gourdon, C. 11 | Martínez, I. 111 | Saha, P. 285 |
| Aguilar, R. 351 | Houi, D. 251 | Martínez-Guerra, R. 351 | Santini, M. 61 |
| Aguilera, M.E. 31 | | Matros, Yu.Sh. 73 | Seo, H.-K. 367 |
| | | McKenna, T.F. 89 | Shiraishi, F. 261 |
| Bernard-Michel, B. 135 | Ingemar Odenbrand, C.U. 207 | Mège, P. 41 | Sotelo, J.L. 111 |
| Bhatia, S. 49 | Iou, Q.-L. 197 | Mohamed, A.R. 49 | Sungpet, A. 321 |
| Björk, H. 381 | | | |
| | Jand, N. 61 | Nakano, K. 261 | Tadé, M.O. 285 |
| Cao, G. 239 | Jiratananon, R. 321 | | To, K.L. 395 |
| Cerro, R.L. 31 | | Oliet, M. 157 | Toro, L. 275 |
| Chang, S. 121 | Karamanev, D.G. 129 | Orrù, R. 239 | Tye, C.T. 49 |
| Chianese, A. 187 | Koh, J.-H. 367 | Ovejero, G. 111 | |
| Cipriani, P. 187 | Krishna, R. 1 | | Vaidya, P.D. 403 |
| Cox, H.H.J. 101 | Küinkel, C. 207 | Pagnanelli, F. 275 | Valeva, M.D. 21 |
| | Kunzru, D. 219 | Pan, C.L. 163 | Vigneswaran, S. 121 |
| | | Pant, K.K. 219 | Vivier, H. 135 |
| Dehkordi, A.M. 227 | Langrish, T.A.G. 301 | Parisi, M. 187 | Vlaev, S.D. 21 |
| Delgado, J.A. 111 | Lau, N.T. 395 | Paschek, D. 1 | Vučak, M. 171 |
| Deshusses, M.A. 101 | Lei, Z. 149 | Patnaik, P.R. 357 | |
| Dewsbury, K.H. 129 | Leu, H.G. 163 | Perić, J. 171 | Wang, H. 149 |
| Ding, F. 181 | Lim, H.C. 367 | Pimsert, A. 321 | Wang, L. 395 |
| Duan, Z. 149 | Lin, S.H. 163 | Pomès, V. 251 | Wang, S. 261 |
| | Liu, Z. 181 | Pons, M.N. 135, 171 | Wang, T.-T. 197 |
| Fane, A.G. 121 | Looi, A.Y. 329 | Poznyak, A. 351 | Way, J.D. 321 |
| Fang, M. 395 | López de Ramos, A.L. 31 | | Westerberg, B. 207 |
| Fernández, A. 251 | Lyddiatt, A. 313 | Qian, S. 395 | Yin, G. 181 |
| Ferschneider, G. 41 | | Quaresma, J.N.N. 339 | Yoo, Y.-S. 367 |
| Fletcher, D.F. 301 | Ma, J. 395 | | Yuan, N. 181 |
| Foscolo, P.U. 61 | Macêdo, E.N. 339 | Rangaiah, G.P. 285 | |
| | Magno, R.N.O. 339 | Rasmuson, A. 381 | Zagoruiko, A.N. 73 |
| Gallucci, K. 61 | Mahajani, V.V. 403 | Rhodes, M. 329 | Zhan, J. 181 |
| García, J. 157 | Makarytchev, S.V. 301 | Rito-Palomares, M. 313 | Zhou, R. 149 |
| Gilarranz, M.A. 157 | Mann, R. 21 | Rodríguez, F. 157 | Žmikić, A. 171 |
| Giona, M. 275 | Margaritis, A. 129 | Romdhane, M. 11 | |
| Golonka, K. 329 | Martin, C. 89 | | |



Subject Index of Volume 87

- Acetic acid**
Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO₂ catalyst, 403
- Activated carbon**
Adsorption of lindane from water onto GAC: effect of carbon loading on kinetic behavior, 111
- Adsorption**
Impacts of the surface charge property on protein adsorption on hydroxyapatite, 181
- Adsorption kinetics**
Adsorption of lindane from water onto GAC: effect of carbon loading on kinetic behavior, 111
- After-treatment system**
Optimisation of a dosing strategy for an HC-SCR diesel exhaust after-treatment system, 207
- Aqueous two-phase**
Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Barium sulphate**
Quantification, by image analysis, of effect of operational conditions on size and shape of precipitated barium sulphate, 135
- Batch versus fed-batch fermentation**
Comparative evaluation of batch and fed-batch bioreactors for GAPDH production by recombinant *Escherichia coli* with distributed plasmid copy number, 357
- Bead mill**
Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Biofilter**
Co-treatment of H₂S and toluene in a biotrickling filter, 101
- Biotrickling filter**
Co-treatment of H₂S and toluene in a biotrickling filter, 101
- Bovine serum albumin**
Impacts of the surface charge property on protein adsorption on hydroxyapatite, 181
- Bubbling**
Experimental assessment of filtration of biomass with transverse and axial fibres, 121
- t*-Butanol**
Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO₂ catalyst, 403
- C4**
Influence of salt added to solvent on extractive distillation, 149
- CaCO₃**
A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas–liquid reactive precipitation of calcium carbonate, 171
- Calcium aluminate**
Catalytic pyrolysis of *n*-heptane on unpromoted and potassium promoted calcium aluminates, 219
- ϵ -Caprolactam**
Purification of ϵ -caprolactam by means of a new dry-sweating technique, 187
- Carbon dioxide**
A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas–liquid reactive precipitation of calcium carbonate, 171
- Carbonation**
A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas–liquid reactive precipitation of calcium carbonate, 171
- Catalysts**
Catalytic pyrolysis of *n*-heptane on unpromoted and potassium promoted calcium aluminates, 219
- Cell disruption**
Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Centrifuge**
Purification of ϵ -caprolactam by means of a new dry-sweating technique, 187
- Characteristic time**
Characteristic time determination for transport phenomena during the electrokinetic treatment of a porous medium, 251
- Chlorinated aromatics**
Self-propagating reactions for environmental protection: state of the art and future directions, 239
- 2-Chlorophenol**
Equilibrium and mass transfer characteristics of 2-chlorophenol removal from aqueous solution by liquid membrane, 163
- Claus process**
Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73
- Closed-form solution**
A closed-form solution of population-balance models for the dissolution of polydisperse mixtures, 275
- CO₂ diffusion**
Enhanced CO₂ diffusion in wedges, 31
- Coal gasification**
Application of coal gasification technology as a flue gas pre-conditioning step for the catalytic reduction of acid gases, 395
- Competitive transport**
Facilitated transport of unsaturated hydrocarbons through crosslinked-poly(sulfonated styrene), 321
- Computational fluid dynamics**
CFD analysis of spinning cone columns: prediction of unsteady gas flow and pressure drop in a dry column, 301
- Copper**
A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Copper/LIX system**
A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Copy number variance**
Comparative evaluation of batch and fed-batch bioreactors for GAPDH production by recombinant *Escherichia coli* with distributed plasmid copy number, 357

- Core-annulus structure
Dilute gas–solid flow in a riser, 41
- Correlation effects
Verification of the Maxwell–Stefan theory for diffusion of three-component mixtures in zeolites, 1
- Crosslinked-poly(sulfonated styrene)
Facilitated transport of unsaturated hydrocarbons through crosslinked-poly(sulfonated styrene), 321
- Delignification
Solvent effects in autocatalyzed alcohol–water pulping. Comparative study between ethanol and methanol as delignifying agents, 157
- Design
Experimental assessment of filtration of biomass with transverse and axial fibres, 121
- Diffusion in wedge
Enhanced CO₂ diffusion in wedges, 31
- Dimensional analysis
Characteristic time determination for transport phenomena during the electrokinetic treatment of a porous medium, 251
- Dissolution
A closed-form solution of population-balance models for the dissolution of polydisperse mixtures, 275
- Drag coefficient
Rising solid sphere hydrodynamics at high Reynolds numbers in non-Newtonian fluids, 129
- Dry-sweating technique
Purification of ϵ -caprolactam by means of a new dry-sweating technique, 187
- Dynamics
A method for life cycle assessment environmental optimisation of a dynamic process exemplified by an analysis of an energy system with a superheated steam dryer integrated in a local district heat and power plant, 381
- Electrochemistry
Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- Electrokinetic
Characteristic time determination for transport phenomena during the electrokinetic treatment of a porous medium, 251
- Electroremediation
Characteristic time determination for transport phenomena during the electrokinetic treatment of a porous medium, 251
- Energy
Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- Energy system
A method for life cycle assessment environmental optimisation of a dynamic process exemplified by an analysis of an energy system with a superheated steam dryer integrated in a local district heat and power plant, 381
- Environmental design
A method for life cycle assessment environmental optimisation of a dynamic process exemplified by an analysis of an energy system with a superheated steam dryer integrated in a local district heat and power plant, 381
- Equilibrium relation
Equilibrium and mass transfer characteristics of 2-chlorophenol removal from aqueous solution by liquid membrane, 163
- Ethanol
Solvent effects in autocatalyzed alcohol–water pulping. Comparative study between ethanol and methanol as delignifying agents, 157
- Ethanol–water
Influence of salt added to solvent on extractive distillation, 149
- Ethylene
Modeling of catalytic reactor for oxidative coupling of methane using La₂O₃/CaO catalyst, 49
- Eucalyptus globulus*
Solvent effects in autocatalyzed alcohol–water pulping. Comparative study between ethanol and methanol as delignifying agents, 157
- European transient cycle
Optimisation of a dosing strategy for an HC-SCR diesel exhaust after-treatment system, 207
- Extractive distillation
Influence of salt added to solvent on extractive distillation, 149
- Extractor
Investigation in solid–liquid extraction: influence of ultrasound, 11
- Facilitated transport membranes
Facilitated transport of unsaturated hydrocarbons through crosslinked-poly(sulfonated styrene), 321
- Fibre membrane
Experimental assessment of filtration of biomass with transverse and axial fibres, 121
- Fibre orientation
Experimental assessment of filtration of biomass with transverse and axial fibres, 121
- Filament rise
Enhanced CO₂ diffusion in wedges, 31
- Fixed bed catalytic reactor
Modeling of catalytic reactor for oxidative coupling of methane using La₂O₃/CaO catalyst, 49
- Flue gas
Application of coal gasification technology as a flue gas pre-conditioning step for the catalytic reduction of acid gases, 395
- Fluidised bed reactors
Cold model characterisation of a fluidised bed catalytic reactor by means of instantaneous pressure measurements, 61
- Formic acid
A synergistic effect of photocatalysis and ozonation on decomposition of formic acid in an aqueous solution, 261
- Four-stage evaporator system
Nonlinear model predictive control of an industrial four-stage evaporator system via simulation, 285
- Free rise
Rising solid sphere hydrodynamics at high Reynolds numbers in non-Newtonian fluids, 129
- Fuel cell
Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- GAPDH
Comparative evaluation of batch and fed-batch bioreactors for GAPDH production by recombinant *Escherichia coli* with distributed plasmid copy number, 357
- Gas hold-up
Some effects of rheology on the spatial distribution of gas hold-up in a mechanically agitated vessel, 21
- Gas–liquid–solid (precipitation, crystallization)
A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas–liquid reactive precipitation of calcium carbonate, 171
- Gas–solid flow
Dilute gas–solid flow in a riser, 41
- Glyceraldehyde 3-phosphate dehydrogenase
Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Halides
The solvent effect and the structural effect of halides on the quaternization $\text{Et}_3\text{N} + \text{RX} \rightarrow \text{Et}_3\text{RNX}$, 197

- Heat transfer**
Particle morphology and transport phenomena in olefin polymerisation, 89
Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- n*-Heptane**
Catalytic pyrolysis of *n*-heptane on unpromoted and potassium promoted calcium aluminates, 219
- H₂S**
Co-treatment of H₂S and toluene in a biotrickling filter, 101
- Hydrodynamics**
Rising solid sphere hydrodynamics at high Reynolds numbers in non-Newtonian fluids, 129
- Hydrogen sulphide**
Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73
- Hydrometallurgical wastes**
Self-propagating reactions for environmental protection: state of the art and future directions, 239
- Hydroquinone**
Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO₂ catalyst, 403
- Hydroxyapatite**
Impacts of the surface charge property on protein adsorption on hydroxyapatite, 181
- Image analysis**
Quantification, by image analysis, of effect of operational conditions on size and shape of precipitated barium sulphate, 135
- Impingement zone**
A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Impinging jets**
A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Impinging streams**
A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Integral transform**
Solutions for the internal boundary layer equations in simultaneously developing flow of power-law fluids within parallel plates channels, 339
- Intracellular proteins**
Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Kinetic Monte Carlo simulations**
Verification of the Maxwell–Stefan theory for diffusion of three-component mixtures in zeolites, 1
- Kinetics**
Impacts of the surface charge property on protein adsorption on hydroxyapatite, 181
- Langmuir–Hinshelwood type**
A synergistic effect of photocatalysis and ozonation on decomposition of formic acid in an aqueous solution, 261
- Lanthanum oxysulfide**
Application of coal gasification technology as a flue gas pre-conditioning step for the catalytic reduction of acid gases, 395
- Life cycle assessment**
A method for life cycle assessment environmental optimisation of a dynamic process exemplified by an analysis of an energy system with a superheated steam dryer integrated in a local district heat and power plant, 381
- Lignite**
Drying kinetics of single porous particles in superheated steam under pressure, 329
- Lindane**
Adsorption of lindane from water onto GAC: effect of carbon loading on kinetic behavior, 111
- Liquid membrane**
Equilibrium and mass transfer characteristics of 2-chlorophenol removal from aqueous solution by liquid membrane, 163
- Liquid–liquid extraction**
A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Mass transfer**
Particle morphology and transport phenomena in olefin polymerisation, 89
- Mass transfer model**
Equilibrium and mass transfer characteristics of 2-chlorophenol removal from aqueous solution by liquid membrane, 163
- Mathematical modelling**
Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73
- Maxwell–Stefan theory**
Verification of the Maxwell–Stefan theory for diffusion of three-component mixtures in zeolites, 1
- MCFC**
Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- MEA**
A study of carbon dioxide absorption into aqueous monoethanolamine solution containing calcium nitrate in the gas–liquid reactive precipitation of calcium carbonate, 171
- Melt down**
Particle morphology and transport phenomena in olefin polymerisation, 89
- Methanol**
Solvent effects in autocatalyzed alcohol–water pulping. Comparative study between ethanol and methanol as delignifying agents, 157
- Microfiltration**
Experimental assessment of filtration of biomass with transverse and axial fibres, 121
- Mixing**
Some effects of rheology on the spatial distribution of gas hold-up in a mechanically agitated vessel, 21
- Mixture diffusion**
Verification of the Maxwell–Stefan theory for diffusion of three-component mixtures in zeolites, 1
- Model predictive control**
Nonlinear model predictive control of an industrial four-stage evaporator system via simulation, 285
- Modeling**
Modeling of catalytic reactor for oxidative coupling of methane using La₂O₃/CaO catalyst, 49
Cold model characterisation of a fluidised bed catalytic reactor by means of instantaneous pressure measurements, 61
- Morphology**
Particle morphology and transport phenomena in olefin polymerisation, 89
Quantification, by image analysis, of effect of operational conditions on size and shape of precipitated barium sulphate, 135
- Nitric oxide**
Application of coal gasification technology as a flue gas pre-conditioning step for the catalytic reduction of acid gases, 395
- NO_x reduction**
Optimisation of a dosing strategy for an HC-SCR diesel exhaust after-treatment system, 207
- Noisy measurements**
Reaction heat estimation in continuous chemical reactors using high gain observers, 351

- Nonlinear control**
Nonlinear model predictive control of an industrial four-stage evaporator system via simulation, 285
- Non-Newtonian flow**
Some effects of rheology on the spatial distribution of gas hold-up in a mechanically agitated vessel, 21
- Non-Newtonian liquids**
Rising solid sphere hydrodynamics at high Reynolds numbers in non-Newtonian fluids, 129
- Numerical analysis**
Consideration of numerical simulation parameters and heat transfer models for a molten carbonate fuel cell stack, 367
- Odor**
Co-treatment of H₂S and toluene in a biotrickling filter, 101
- Olefin polymerisation**
Particle morphology and transport phenomena in olefin polymerisation, 89
- Open-loop unstable process**
Nonlinear model predictive control of an industrial four-stage evaporator system via simulation, 285
- Operational conditions**
Quantification, by image analysis, of effect of operational conditions on size and shape of precipitated barium sulphate, 135
- Opposed jets**
A novel two-impinging-jets reactor for copper extraction and stripping processes, 227
- Organosolv pulping**
Solvent effects in autocatalyzed alcohol–water pulping. Comparative study between ethanol and methanol as delignifying agents, 157
- Oxidative coupling of methane**
Modeling of catalytic reactor for oxidative coupling of methane using La₂O₃/CaO catalyst, 49
- Ozonation**
A synergistic effect of photocatalysis and ozonation on decomposition of formic acid in an aqueous solution, 261
- Phenol**
Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO₂ catalyst, 403
- Photocatalysis**
A synergistic effect of photocatalysis and ozonation on decomposition of formic acid in an aqueous solution, 261
- Poly(pyrrole)**
Facilitated transport of unsaturated hydrocarbons through crosslinked-poly(sulfonated styrene), 321
- Population-balance equations**
A closed-form solution of population-balance models for the dissolution of polydisperse mixtures, 275
- Potassium carbonate**
Catalytic pyrolysis of *n*-heptane on unpromoted and potassium promoted calcium aluminates, 219
- ζ-Potential**
Impacts of the surface charge property on protein adsorption on hydroxyapatite, 181
- POTW**
Co-treatment of H₂S and toluene in a biotrickling filter, 101
- Power-law fluids**
Solutions for the internal boundary layer equations in simultaneously developing flow of power-law fluids within parallel plates channels, 339
- Precipitation**
Quantification, by image analysis, of effect of operational conditions on size and shape of precipitated barium sulphate, 135
- Pressure**
Drying kinetics of single porous particles in superheated steam under pressure, 329
- Pressure fluctuations**
Cold model characterisation of a fluidised bed catalytic reactor by means of instantaneous pressure measurements, 61
- Process integration**
Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Protein recovery**
Process integration using aqueous two-phase partition for the recovery of intracellular proteins, 313
- Pulsations**
CFD analysis of spinning cone columns: prediction of unsteady gas flow and pressure drop in a dry column, 301
- Pyrethrum flower**
Investigation in solid–liquid extraction: influence of ultrasound, 11
- Pyrolysis**
Catalytic pyrolysis of *n*-heptane on unpromoted and potassium promoted calcium aluminates, 219
- Quaternization**
The solvent effect and the structural effect of halides on the quaternization Et₃N + RX → Et₃RNX, 197
- Radioactive wastes**
Self-propagating reactions for environmental protection: state of the art and future directions, 239
- Recombinant fermentation**
Comparative evaluation of batch and fed-batch bioreactors for GAPDH production by recombinant *Escherichia coli* with distributed plasmid copy number, 357
- Relative volatilities at infinite dilution**
Influence of salt added to solvent on extractive distillation, 149
- Reverse-flow operation**
Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73
- Riser**
Dilute gas–solid flow in a riser, 41
- Robustness**
Reaction heat estimation in continuous chemical reactors using high gain observers, 351
- Self-propagating reactions**
Self-propagating reactions for environmental protection: state of the art and future directions, 239
- Silicon sludge**
Self-propagating reactions for environmental protection: state of the art and future directions, 239
- Simultaneously developing laminar flow**
Solutions for the internal boundary layer equations in simultaneously developing flow of power-law fluids within parallel plates channels, 339
- Single particle**
Drying kinetics of single porous particles in superheated steam under pressure, 329
- Soil remediation**
Characteristic time determination for transport phenomena during the electrokinetic treatment of a porous medium, 251
- Solid sphere**
Rising solid sphere hydrodynamics at high Reynolds numbers in non-Newtonian fluids, 129
- Solid–liquid extraction**
Investigation in solid–liquid extraction: influence of ultrasound, 11
- Solvent effect**
The solvent effect and the structural effect of halides on the quaternization Et₃N + RX → Et₃RNX, 197

- Spinning cone distillation column
CFD analysis of spinning cone columns: prediction of unsteady gas flow and pressure drop in a dry column, 301
- SPME
Adsorption of lindane from water onto GAC: effect of carbon loading on kinetic behavior, 111
- Steam drying
Drying kinetics of single porous particles in superheated steam under pressure, 329
- Streamfunction formulation
Solutions for the internal boundary layer equations in simultaneously developing flow of power-law fluids within parallel plates channels, 339
- Structural effect
The solvent effect and the structural effect of halides on the quaternization $\text{Et}_3\text{N} + \text{RX} \rightarrow \text{Et}_3\text{RNX}$, 197
- Sulfur
Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73
- Sulfur condensation
Mathematical modelling of Claus reactors undergoing sulfur condensation and evaporation, 73
- Sulfur dioxide
Application of coal gasification technology as a flue gas pre-conditioning step for the catalytic reduction of acid gases, 395
- Sustained disturbances
Reaction heat estimation in continuous chemical reactors using high gain observers, 351
- Synergistic effect
A synergistic effect of photocatalysis and ozonation on decomposition of formic acid in an aqueous solution, 261
- Triethylamine
The solvent effect and the structural effect of halides on the quaternization $\text{Et}_3\text{N} + \text{RX} \rightarrow \text{Et}_3\text{RNX}$, 197
- Ultrasound
Investigation in solid–liquid extraction: influence of ultrasound, 11
- Uncertainty observer
Reaction heat estimation in continuous chemical reactors using high gain observers, 351
- Vapor–liquid equilibria
Influence of salt added to solvent on extractive distillation, 149
- VOC
Co-treatment of H_2S and toluene in a biotrickling filter, 101
- W/O emulsion
Equilibrium and mass transfer characteristics of 2-chlorophenol removal from aqueous solution by liquid membrane, 163
- Waste air treatment
Co-treatment of H_2S and toluene in a biotrickling filter, 101
- Wastewater treatment
Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO_2 catalyst, 403
- Wet oxidation
Insight into heterogeneous catalytic wet oxidation of phenol over a Ru/TiO_2 catalyst, 403
- Woad seeds
Investigation in solid–liquid extraction: influence of ultrasound, 11
- Zeolites
Verification of the Maxwell–Stefan theory for diffusion of three-component mixtures in zeolites, 1